


# ED/AD系列鑽孔機

## ED / AD-Series Drilling Machine

▶ 精準廣角度的鑽孔能力

*A Precision drilling in wider range of angles.*



**ED/AD-Series**

## 立式氣壓鑽孔機

Vertical Air Drilling Machine

### AD-10V-1

型號	Model	AD-10V-1
鑽孔能力	Drilling capacity	1 m/m - 10 m/m
主軸轉速 (RPM)	Spindle rotational speed	0-2800 rpm
有效工作半徑	Vertical	300 m/m - 2000 m/m
	Horizontal	
空氣壓力	Air pressure	6 kg - 8 kg
淨重 (kg)	Net weight (kg)	23 kg
毛重 (kg)	Gross weight (kg)	40 kg
包裝尺寸 (mm)	Package size (mm)	1000 X 540 X 320



## 萬向氣壓鑽孔機

Universal Air Drilling Machine

### AD-10H-1

型號	Model	AD-10H-1
鑽孔能力	Drilling capacity	1 m/m - 10 m/m
主軸轉速 (RPM)	Spindle rotational speed	0-2800 rpm
有效工作半徑	Vertical	300 m/m - 2000 m/m
	Horizontal	0 m/m - 1700 m/m
空氣壓力	Air pressure	6 kg - 8 kg
淨重 (kg)	Net weight (kg)	23 kg
毛重 (kg)	Gross weight (kg)	40 kg
包裝尺寸 (mm)	Package size (mm)	1000 X 540 X 320


**產品項目/Categories:**

**立式鑽孔機 ED-10V-1**  
 Vertical Drilling Machine **ED-10V-2**

型號	Model	ED-10V-1	ED-10V-2
鑽孔能力	Drilling capacity	1 m/m - 10 m/m	1 m/m - 10 m/m
主軸轉速 (RPM)	Spindle rotational speed	0-2800 rpm	0-2800 rpm
有效工作半徑	Vertical	300 m/m - 2000 m/m	300 m/m - 2000 m/m
	Horizontal		
Effective range			
額定電壓	Power supply	110V / 50HZ	220V / 50HZ
淨重 (kg)	Net weight (kg)	23 kg	23 kg
毛重 (kg)	Gross weight (kg)	40 kg	40 kg
包裝尺寸 (mm)	Package size (mm)	1000 X 540 X 320	1000 X 540 X 320



**萬向鑽孔機 ED-10H-1**  
 Universal Drilling Machine **ED-10H-2**

型號	Model	ED-10H-1	ED-10H-2
鑽孔能力	Drilling capacity	1 m/m - 10 m/m	1 m/m - 10 m/m
主軸轉速 (RPM)	Spindle rotational speed	0-2800 rpm	0-2800 rpm
有效工作半徑	Vertical	300 m/m - 2000 m/m	300 m/m - 2000 m/m
	Horizontal	0 m/m - 1700 m/m	0 m/m - 1700 m/m
Effective range			
額定電壓	Power supply	110V / 50HZ	220V / 50HZ
淨重 (kg)	Net weight (kg)	23 kg	23 kg
毛重 (kg)	Gross weight (kg)	40 kg	40 kg
包裝尺寸 (mm)	Package size (mm)	1000 X 540 X 320	1000 X 540 X 320

## ED/AD-Series

### ED/AD 系列鑽孔機

#### ED / AD-Series Drilling Machine

1. 便利輕巧的鑽孔加工
2. 可選擇90度垂直或多角鑽孔，多用途，功能性強
3. 工作範圍大，應用範圍廣，亦可倒角及絞孔

1. Compact type makes the operation easier and more convenient.
2. In 90 or other angles to proceed drilling used for several function and application.
3. Wider working range so that works in a more flexible way. Chamfer and hole reaming can be easily done.

#### 選配零件/Optional Accessories

##### 工作桌 AT-007 Working Table

型號	Model	AT-007
淨重 (kg)	Net weight (kg)	155 kg
毛重 (kg)	Gross weight (kg)	220 kg
工作桌尺寸 (mm)	Working Table	850 X 680 X 870
包裝尺寸 (mm)	Package size (mm)	941 X 820 X 1080



#### 微政工業股份有限公司 WELLCAM MACHINERY CORP.

台中縣神岡鄉新庄村和睦路741號  
NO. 741, HER MOH ROAD, SENG KUNG,  
TAICHUNG TAIWAN  
TEL: 886-4-25624171 FAX: 886-4-25621762  
E-mail: wellcam@wellcam.com.tw  
http://www.welcam.com.tw

#### 經銷商/Distributor

微政工業股份有限公司版權所有 WC-200712

- 本公司隨時進行研發修改產品，因此本型錄內容規格得以變更、恕不另行通知。
- Specifications, dimensions, design characteristics are subject to change without previous notice.